



Wichtech Roofing

 **GERARD**[™]
ROOFING SYSTEMS



BEYOND COMPARE

— SINCE 1957 —

featuring



www.gerardafrica.com



GET MORE FROM GERARD® with GERARD® CONNECT



Visit our website for the most comprehensive information regarding the qualities of a Gerard® roof



Where you see this symbol, scan the QR code with your smartphone or tablet to discover more



Discover the NEW Gerard brochure app. All the information of the Gerard Africa website available offline 24/7.



DIGITAL AFFIRMATION



Upon taking delivery of your Gerard® roofing tiles, you can quickly and easily check the authenticity of your purchase by entering the production code into our Tile Verification App.

The roof. Probably the first part of your new home that people will see. That first impression will determine how people view your house and your style. Gerard® roofs give first impressions that last a lifetime with vibrant, consistent colours which never fade or change colour. A Gerard® roof is a perfect demonstration of your success; strong, stylish and everlasting.





That's why dream homes deserve Gerard®.

GERARD® ROOFING SYSTEMS

TRIED • TESTED • TRUSTED



Once in a generation, an innovation becomes an icon. Something that simply cannot be compared to. Sixty years ago, Gerard® Roofing Systems created a quality roofing material that outperformed all others in value and quality. Today, Gerard® remains the undisputed leader of stone coated roofing tiles. Copied but with no equal. This brochure aims to demonstrate the features that make Gerard® different, and give you the information you need to make an informed decision.



EXCLUSIVELY INCLUSIVE

When you become a Gerard® Owner you join an exclusive club of people with exceptional taste, demonstrable success and a lifestyle others aspire to. But there's more to Gerard® Ownership than the feeling of *exclusivity*. Throughout the year we hold Gerard® Events that are *inclusive* to Gerard® Owners. From sponsored golf tournaments to fashion and music events, our Distributors host experiences that are often once in a lifetime opportunities.



ADVANCED TECHNOLOGY SUPERIOR PERFORMANCE




AZ150 ALU-ZINC STEEL

Gerard® has pioneered the use of alu-zinc steel. Nothing less than 150g of alu-zinc per square metre (known as AZ150) is acceptable, as only this amount can guarantee a 50 year performance, as prescribed by our market leading warranty. Our Alu-zinc steel is further protected by an anti-fingerprint acrylic resin to protect the steel from handling during manufacture, transport and installation.



NATURAL VOLCANIC STONE

Gerard® roofing tiles are coated with natural stone chips, volcanically formed and taken from quarries in New Zealand. These coatings add natural beauty to the roof and a hard layer of protection from the harsh African weather. Being of natural stone, the vibrant colour is protected against the extreme UV of the African sun and will never change.



ADVANCED BASECOAT

Since 1957 we have continually innovated and developed our technology so that today we lead the way in design, quality, performance and durability. Our natural stone chips are embedded deep in our own patented basecoat and sealed in a special acrylic resin to ensure they stay permanently fixed to the tile. The finished tiles are then baked in a 100m long oven to ensure durability.

QUANTUM COATING TECHNOLOGY®

All of our unique technology is packaged in our patented next generation vanguard; QCT®.

Quantum Coating Technology is **only available as a feature of Genuine Gerard®** and the combination of our advanced technologies helps keep your roof looking newer for longer



Gerard® next generation Quantum Coating Technology:

- Maintains the vibrant colour of your roof
- Helps prevent chip loss
- Reduces maintenance costs
- Helps reduce staining & organic growth by x4
- Is part of our 50 year warranty
- **Keeps your roof looking newer for longer**

- ✓ AZ150 Alu-Zinc Steel
- ✓ Natural Stone Coating
- ✓ Advanced technology
- ✓ 50 year warranty



FEATURES & BENEFITS



SECURITY



Secured to the 6 tiles surrounding them & two battens, Gerard® tiles are secure against intruders & extreme high winds

COASTAL LIVING



Gerard® roofing tiles, accessories & nails are proven to have a life span 6 to 9 times greater than galvanised roofing

LIGHTWEIGHT



At only 7kg/m², one ton of Gerard® is equivalent to 6-7 tons of clay or concrete tiles, saving considerable costs in the roof structure

HERITAGE



We invented the steel roofing tile in 1957. No other manufacturer has as much experience as we do in delivering quality and durability

FIRE RESISTANCE



Gerard® tiles are tested for fire resistance. During testing there are no sparks or no spread of flames away from the fire source

FREE 50 YEAR WARRANTY



WEATHER PERFORMANCE



Our tiles perform in 200kph hurricane conditions, & in an earthquake Gerard® actually makes the roof structure stronger

Q.C.T.®



Only Genuine Gerard® tiles feature Quantum Coating Technology, helping your roof to look newer for longer

TESTING AND INSPECTION



Every Gerard® roof tile is inspected to ensure consistent quality & market leading performance

REDUCED RAIN NOISE



The genuine Gerard® stone coating softens the sound of rain so you get a good nights sleep

FAST INSTALLATION



Gerard® tiles are up to 10x faster to install, making your home weather-sealed quicker & leading to further cost savings in construction

Our class leading warranty is fully transferable and considered the gold standard in the industry. Find out more & register at www.gerardafrica.com


A CLASS OF IT'S OWN

THE GERARD® STORY



Since the year 2000 we have supplied over 25 million square metres of roof tiles to sub-Saharan Africa and have become the brand leaders in 18 countries. On average, someone buys a Gerard® tile somewhere in sub-Saharan Africa every 9.7 seconds.

Over **60** Amazing Years **15** Pioneering Developments **6** Best Selling Profiles **3** Manufacturing Plants



1967 Heritage



The modern Heritage profile as we know it today is launched with innovative new features

1989 Classic



The latest profile from Gerard® becomes an instant Classic.

1992 Shake



Gerard® Shake is launched and becomes popular as a fireproof replacement to grass / makuti roofs.

1995 Shingle



Gerard® released the new Shingle tile with both horizontal and vertical lines, as well as two-tone patched stone chip. Another first!

2008 Milano



The Gerard® Milano profile launches, replicating Mediterranean-style tiles but with all of the benefits of Gerard®.

2016 Slate



The all-new Gerard® Slate profile launches. The unique profile has quickly become a favourite across Africa



Watch the film



HERITAGE

THE WORLD'S FAVOURITE

Inspired by a lasting and elegant heritage handed down over generations, 21st Century architects are rediscovering the traditional values of earlier times. With this historical legacy of great architects, their building and roofing styles continue to inspire designers of today. Incorporating the heritage of the past and today's modern design requirements, Gerard® roofing has created a distinctive tile design to carry us through the 21st Century.





MILANO

MEDITERRANEAN STYLE

Inspired by traditional Roman tile design, Gerard® Milano looks smooth, clean and elegant. Its timeless profile makes a strong statement, especially on steeply pitched roofs, and with a Mediterranean heritage is ideally suited to coastal properties and those wanting to make a statement of style.





SHAKE NATURAL ELEGANCE

Gerard® Shake is particularly popular as a modern replacement for thatch / makuti roofs, where Gerard® tile's fireproof qualities offer extra security, while providing a natural look. As a result, Shake is ideal for hotels & lodges



Gerard® Shake takes the best of the shake design and combine it with cutting edge technology to produce traditional, natural looking roofs with superior long life performance.





SHINGLE

CONTEMPORARY LUXURY


A style statement that works with both contemporary and traditional architecture, Gerard® Shingle has a distinctive vertical ridge textured finish that gives your roof solidarity and character. Shingle tile ridges cast deep shadows which give considerable variations in feel and texture throughout the day depending on the sun's position.





SLATE WITHOUT EQUAL

Gerard® Slate has been designed to replicate the natural weathered look of traditional European slate roofs. The unique profile comes with the option of random patches of colour which are only subtly different to the main tile colour. The effect is a very natural looking roof, with shadows and crevices that entice the eye





CLASSIC

MAKING A STATEMENT

For homes that need a bolder statement roof, Gerard® Classic symbolises quality and excellence. This profile reflects the timeless craftsmanship of previous generations whilst inspiring today's top architects and designers.




FORTIZA TILE

BEAUTY, VALUE & AFFORDABILITY

First created for developers to provide a roof with the quality of Gerard® coupled with value, speed of installation and ease of use, the larger Fortiza profile is now available to everyone



Bigger tile, less timber, faster installation



Gerard® Fortiza tiles cover 10% more than industry standard sized tiles, so you need less tiles per square metre and less timber

10% Extra




COLOUR OPTIONS



FORTIZA SHINGLE

AFFORDABLE LUXURY

Gerard® Fortiza Shingle creates a contemporary look of luxury while taking advantage of a larger sized tile to offer savings throughout the roof build. Manufactured in New Zealand by Gerard®



10 % More Shingle

Enjoy greater savings by using Gerard® Fortiza Shingle for your roof.

Get the look of Shingle while spending less per square metre on tiles, timber and installation

The Fortiza Shingle profile is available in both single colour or patched design



COLOUR OPTIONS

Brown	Dark Grey	Red	Green
Solid	Solid	Solid	Patched
Bruno	Storm	Lava	Olivia
Patched	Patched	Patched	Patched

MAKE SURE IT'S GENUINE GERARD®

PROTECTING YOUR INVESTMENT

Like all leading brands of innovative and desired products, there are fakes and copies of Gerard® tiles that are offered for sale as the real thing. BEWARE, because those roofs will not perform to our high standards. Luckily, you can mitigate the risks by following the steps below

EXCLUSIVE DISTRIBUTORS



Genuine Gerard® is ONLY available through our network of Wichtech Roofing Distributors, where the quality of Gerard® is matched by superior service levels.

GERARD® LOGO



Genuine Gerard® roof tiles have the Gerard® logo printed on the back of the tile. When your roof tiles are delivered, check that they have this logo.

GERARD® APP



As a final check, enter the production code from the back of one of your tiles into the Gerard® App. This will confirm instantly that your tiles are Genuine Gerard®.

BEWARE OF FAKES AND IMITATIONS

No other roof tile manufacturer matches Gerard® for quality. We use the correct quality of raw materials to manufacture a tile that performs for at least 50 years.

COLOUR FADE



The most common problem with fake tiles is that they fade quickly. This occurs due to poor quality stone chip which is sometimes even painted. Fading can occur from as little as 3 months after installation.

CHIP LOSS



Using a cheap aftermarket basecoat to attach stone chip to the steel tile can result in heavy chip loss during manufacture, transport, installation and during rainfall. This exposes the steel to an onset of rust.

RUST & CORROSION



Most suppliers will claim their tiles are alu-zinc steel. But how much alu-zinc is used? Using half the amount Gerard® uses may cost less, but it reduces the lifespan of the steel by two thirds and corrosion will soon begin to show.

UNTRUSTWORTHY SUPPLIER / INSTALLER



While Gerard® offers a 50 year written warranty, other suppliers may not be able back their claims, and some even "disappear" when there's a problem. Contractors instructed to use Gerard®, sometimes substitute to pocket the difference.

CONSIDERING CLAY / CONCRETE TILES?




Clay tiles are often chosen for their natural looks and aesthetic value. Unfortunately, the brittle nature of clay makes them expensive and results in a huge amount of wastage. Clay tiles are often broken and high winds can also dislodge them causing water damage to the house. Clay tiles are also susceptible to algae growth.

WE RECOMMEND GERARD® MILANO



CONSIDERING FAKE & COPY GERARD®?



Since inventing the steel roofing tile in 1957, many companies have tried to copy our products. However, without our experience and expertise, they have found it impossible to match our high standards of durability and quality. Cheap copies and fakes can corrode quickly and suffer from colour change.

WE RECOMMEND GERARD® HERITAGE



CONSIDERING THATCH / MAKUTI?



The traditional look of a thatch roof is its enduring quality. Though today, with many more electrical products in the home, smoking and cooking, the risk of fire is too great to contemplate it. A wet thatch roof after rainfall is also the ideal breeding ground for mosquitoes. Thatch also needs replacing periodically.

WE RECOMMEND GERARD® SHAKE



CONSIDERING BITUMEN SHINGLES?



Bitumen, or asphalt, shingles are made from paper and fibreglass, coated with bitumen and asphalt, and ceramic granules. Expensive to install as they need a plywood deck & each tile needs fixing individually. Susceptible to fire and heavy rainfall causes permanent damage. UV damage means frequent replacement.

WE RECOMMEND GERARD® SHINGLE



CONSIDERING A MONO-PITCH ROOF?



A concrete monopitch roof requires very experienced builders as correctly mixing the waterproofing additives to the concrete is a science and getting it wrong will lead to massive future problems. The membrane can crack & leak. Low cost aluminium sheets meanwhile will also cause future maintenance issues.

WE RECOMMEND GERARD® SLATE



ACTING TODAY FOR A BETTER TOMORROW

We are proud of our reputation as the world's leading manufacturer of the highest quality, chip coated, pressed metal roofing tiles, which are produced in one of the cleanest and most pollution-free environments in the world. With this leadership comes responsibility...

MANUFACTURING

Our steel is manufactured in a unique process from black iron sand, found on the West Coast beaches of the North Island of New Zealand

RECYCLING

The high grade steel in our tiles can be recycled infinitely

PAINT AND BASECOAT

All our coatings are water-based or water dispersed. The 'chip' used to coat our roof tiles is crushed natural rock, quarried in New Zealand

HEALTH & SAFETY

The safety and well-being of employees is of paramount to us. Health and safety initiatives are in place throughout our factories

SUSTAINABILITY

Our Distributors are leaders. Last year sub-Saharan Gerard® Distributors planted over 1,000 trees in local projects

SOCIAL RESPONSIBILITY

We support local organisations, initiatives & sports teams throughout sub-Saharan Africa with our official Distributors



ROOF ENHANCEMENTS THAT DON'T COST THE EARTH

LIGHTING YOUR HOME FOR FREE



ROOF WINDOW

Allows natural light to flood into your home. Opens at the bottom to provide extra ventilation, additional headroom and uninterrupted views. UV resistant and impact-proof against all types of rough weather, including monsoon rains.



SUN TUNNEL

Daylight is captured by the roof-mounted dome and directed through a reflective tube through the roof space to a ceiling mounted fitting, which then emits natural healthy light into the home.



FOIL INSULATION

Reflects the sun's heat and creates a thermal barrier to keep the home cool. Fire retardant foil insulation is manufactured from highly burnished aluminium foil bonded with flame retardant adhesive to a woven polymeric mesh.



VENTILATION

Expels warm air, allowing fresh air into the roof space to create a more comfortable living environment. Reduces reliance on air conditioner and protects timber against rot.



COLLECTING RAINWATER

The water collected from a Genuine Gerard® roof more than meets the World Health Organisation (WHO) standards for drinking water. So, be rest assured, you CAN collect rainwater from your Genuine Gerard® roof to use for drinking and cooking, though we recommend filtering any collected rainwater before use. See "Individuality & Choice" for rainwater gutter options



WE CHOSE GERARD®

Choosing the right roof is an important decision to make and getting it wrong can be a costly mistake. The roof not only has a job to do but can give your property its overall look.

Luckily, you're not alone. To help you make your decision we've collected some advice and experience from others that have been in the same position as you...

THE ARCHITECT

"The natural stone finish on Gerard® roof tiles gives the roof a really interesting look. It's difficult to match the performance and quality of Gerard®. Even though there are other products like it, they are never as good, especially after installation, when the colour can often fade. Gerard® always remains vibrant. For our clients near the coast, we would recommend Gerard® for sure, as it doesn't corrode and it does come with a fifty year warranty."



THE HOMEOWNER

"For us, Gerard® was an easy choice. Firstly, it had to look good. Not just now, but in five to ten years time. Secondly, it had to provide security for our family, which Gerard® does. Thirdly, we didn't want any maintenance hassles, and never have with our Gerard® roof. All of this and the great service we received from the Distributor made Gerard® our number one choice and we don't regret it for a minute."

THE DEVELOPER

"On time and on budget - is the phrase we live by, and Gerard® helps us deliver this. Using Gerard® adds value to our project as people like the look of their roofs and the security they offer. The service we receive from the Distributor is great and we've never had a problem using their products. As builders of high quality homes, I'd never suggest trying to buy a roof on the cheap - it's just not worth the hassle. Considering the roof's job, it's one area that you want to know works."



THE INSTALLER



"I have worked with a lot of roofs, but Gerard® is the best! I always recommend Gerard® to my clients, it is the highest quality, performs well and doesn't require maintenance. It is also very secure and safe. Gerard® trains us well, so we know about the company and that they invented the steel roof tile. Installing Gerard® is a pleasure, it's well made so installation is easier and quicker than with some other materials. Plus, they don't get damaged like clay tiles do."

THE HOTEL OWNER

The safety of our guests is paramount, so we needed a roof that was fireproof. As part of the design of the hotel, it also had to look good to reflect our brand as a five star resort. With Gerard® we got both, plus it's an area of the hotel that's maintenance free so we never have to close rooms to run repairs.



THE COAST LOVER

We had to replace our last roof with genuine Gerard® because the old roof rusted within weeks of being installed and only lasted a year. What persuaded me to choose Gerard® was the warranty and the fact that their nails are also protected against corrosion. This is so important because it was the nails that started the old roof rusting.

THE UPCOUNTRY PROPRIETOR

Our house is surrounded by trees that regularly drop their fruit and branches. Our neighbours have clay tiles on their house and they break all the time because of this, so we chose Gerard® and we've never had to replace a single tile. We were also able to choose a colour that blended the roof into the surrounding bush and this was a big factor in choosing Gerard®.





INDIVIDUALITY & CHOICE

TILES














 <div>HERITAGE</div> <div>Overall Length 1320mm Length of Cover 1260mm Width of Cover 370mm Roof Cover / Tile 0.46m²/tile m² Coverage 2.2 tiles/m² Weight per tile 2.9kg Weight per m² 6.4kg Minimum Pitch 12°</div>	 <div>MILANO</div> <div>Overall Length 1320mm Length of Cover 1260mm Width of Cover 370mm Roof Cover / Tile 0.45m²/tile m² Coverage 2.2 tiles/m² Weight per tile 2.9kg Weight per m² 6.4kg Minimum Pitch 15°</div>	 <div>CLASSIC</div> <div>Overall Length 1320mm Length of Cover 1260mm Width of Cover 370mm Roof Cover / Tile 0.46m²/tile m² Coverage 2.2 tiles/m² Weight per tile 2.9kg Weight per m² 6.4kg Minimum Pitch 12°</div>	 <div>SHAKE</div> <div>Overall Length 1320mm Length of Cover 1260mm Width of Cover 370mm Roof Cover / Tile 0.46m²/tile m² Coverage 2.2 tiles/m² Weight per tile 3.0kg Weight per m² 6.6kg Minimum Pitch 15°</div>	 <div>SHINGLE</div> <div>Overall Length 1310mm Length of Cover 1250mm Width of Cover 370mm Roof Cover / Tile 0.46m²/tile m² Coverage 2.2 tiles/m² Weight per tile 3.0kg Weight per m² 6.6kg Minimum Pitch 15°</div>	 <div>SLATE</div> <div>Overall Length 1330mm Length of Cover 1250mm Width of Cover 370mm Roof Cover / Tile 0.46m²/tile m² Coverage 2.2 tiles/m² Weight per tile 2.9kg Weight per m² 6.4kg Minimum Pitch 15°</div>
--	---	--	--	---	--

COLOUR OPTIONS

FOR HERITAGE, MILANO, CLASSIC & SHAKE PROFILES

 <div>Charcoal</div> <div>Solid</div>	 <div>Ashwood</div> <div>Solid</div>	 <div>Burnt Oak</div> <div>Mixed</div>	 <div>Pebble</div> <div>Mixed</div>	 <div>Pepper / Bracken</div> <div>Mixed</div>	 <div>Teak / Chestnut</div> <div>Mixed</div>	 <div>Tiger</div> <div>Mixed</div>
 <div>Garnet / Spanish Red</div> <div>Solid</div>	 <div>Burgundy</div> <div>Solid</div>	 <div>Cedar / Coffee</div> <div>Solid</div>	 <div>Sienna / Tuscany</div> <div>Solid</div>	 <div>Rosso</div> <div>Mixed</div>	 <div>Antico</div> <div>Mixed</div>	 <div>Terracotta</div> <div>Mixed</div>
 <div>Tanzanite / Persian Blue</div> <div>Solid</div>	 <div>Sapphire / Azure</div> <div>Mixed</div>	 <div>Arctic Blue</div> <div>Mixed</div>	 <div>Caspian Green</div> <div>Solid</div>	 <div>Deep Forest</div> <div>Mixed</div>	 <div>Greenstone</div> <div>Mixed</div>	 <div>Sage</div> <div>Mixed</div>

FOR SHINGLE PROFILE

 <div>Charcoal</div> <div>Solid</div>	 <div>Eclipse</div> <div>Patched</div>	 <div>Flint</div> <div>Patched</div>	 <div>Sapphire</div> <div>Mixed</div>	 <div>Delta Blue</div> <div>Patched</div>	 <div>Willow</div> <div>Patched</div>	 <div>Ravine</div> <div>Patched</div>
 <div>Portland</div> <div>Patched</div>	 <div>Bark</div> <div>Patched</div>	 <div>English Oak</div> <div>Patched</div>	 <div>Sequoia</div> <div>Patched</div>	 <div>Sunset</div> <div>Patched</div>	 <div>Terracotta</div> <div>Mixed</div>	

FOR SLATE PROFILE

 <div>Charcoal</div> <div>Solid</div>	 <div>Deep Black</div> <div>Solid</div>	 <div>Eclipse</div> <div>Patched</div>	 <div>Flint</div> <div>Patched</div>	 <div>Highland</div> <div>Solid</div>	 <div>Sequoia</div> <div>Patched</div>	 <div>Tiger</div> <div>Mixed</div>	 <div>Welsh Slate</div> <div>Solid</div>	 <div>Willow</div> <div>Patched</div>
---	--	---	---	--	---	--	---	--

TILE ACCESSORIES

 <div>BARREL TRIM</div> <div>Overall Length 400mm Length of Cover 370mm Unit Mass Chipped 0.5kg</div>	 <div>BARREL END</div> <div>Diameter 150mm</div>	 <div>ANGLE TRIM</div> <div>Overall Length 405mm Length of Cover 370mm Unit Mass Chipped 0.5kg</div>	 <div>ANGLE END</div> <div>A Length 91mm B Length 60mm</div>	 <div>A-RIDGE</div> <div>Overall Length 2000mm Length of Cover 1900mm Unit Mass Chipped 0.5kg</div>
 <div>BOX BARGE</div> <div>Overall Length 2000mm Length of Cover 1900mm Unit Mass Chipped 2.5kg</div>	 <div>RIDGE HIP</div> <div>Overall Length 2000mm Length of Cover 1900mm Unit Mass Chipped 2.0kg</div>	 <div>SIDE FLASHING</div> <div>Overall Length 2000mm Length of Cover 1900mm Unit Mass Chipped 1.4kg</div>	 <div>COMBO VALLEY</div> <div>Overall Length 2400mm Length of Cover 2300mm Unit Mass Chipped 2.5kg</div>	 <div>FLAT SHEET</div> <div>Overall Length 2000mm Length of Cover 1900mm Unit Mass Chipped 3.9kg</div>

ENERGY SAVING ENHANCEMENTS




 <div>FOIL INSULATION</div> <div>1350mm x 75m (100m²) 1350mm x 56m (75m²) 1350mm x 38m (50m²)</div>	 <div>ROOF WINDOW</div> <div>Window Opening 510x466mm Dome Polycarbonate Acrylic Filter Yes</div>	 <div>SUN TUNNEL</div> <div>Dome Acrylic Tube Length 1.5m or 3m Diffuser 340mm</div>	 <div>VENT</div> <div>Model HV15x15 Minimum Pitch 15° Maximum Pitch 45° Use for bathrooms or kitchens</div>	 <div>COWL VENT</div> <div>Model LV75 Minimum Pitch 15° Maximum Pitch 45° Use for roof space</div>
--	--	---	--	---

INSTALLATION

 <div>NAILS</div> <div>Overall Length 50mm Zinc Coating 400g/m² Box 25kg Pack 5kg</div>	 <div>SCREWS</div> <div>Overall Length 40mm Pack 500pc</div>	 <div>TOUCH UP KIT</div> <div>Contains Basecoat & Stone Chip. Use to cover nail and screw heads.</div>
--	---	---

Note: Approved nails or screws must be used to maintain performance of tiles and validate warranty.

RAINWATER GUTTERING

 <div>REGENCY</div> <div>Width 125mm Length 4m Flow Rate 4.7 l/s Colours ●●●</div>	 <div>STORMFLOW</div> <div>Width 170mm Length 4m Flow Rate 6.0 l/s Colours ●●●</div>	 <div>INDUSTRIAL</div> <div>Width 200mm Length 4m Flow Rate 14.0 l/s Colours ●</div>
---	---	---

STEEL SPECIFICATION

BASE STEEL		
Thickness 0.4mm		
Grade G300	#Grade A&B	*Grade A&B
ZINC COATING		
Mass 150g/m²		50oz/100ft²
Grade AZ150	#AZ150	*AZ50
TOTAL SUBSTRATE THICKNESS		
430µm	0.43mm	26 Gauge
# = ASTM A466M	*=ASTM A446	



INSTALLATION & MAINTENANCE



INSTALLER TRAINING - INVESTING IN AFRICA

Established by Gerard® to improve the quality of installation and empower local installers, our Installer Program is one of Africa's leading training courses. Supported by various national authorities, our installers are professionally trained and certified. For more information, visit: www.gerardafrica.com



MAINTENANCE IS JUST A PERIODIC CLEAN

In most cases, rainfall washes the dust off the roof making it look brand new after every shower. Aside from removing dead leaves, the only other maintenance a Gerard® roof might require is a good wash every three to five years to help prevent the growth of algae, moss and lichen - something that effects all roofs. This work can be undertaken by our Distributor's recommended contractors, though many homeowners carry out this task themselves. *Our Roof Cleaning Guide can be downloaded at www.gerardafrica.com/legacy*



GERARD® PERFORMANCE DEFINING A CATEGORY

FIRE <ul style="list-style-type: none"> Class A and B under UL 790 (ASTM E-108) when applied in accordance with instructions. 	STRONG <ul style="list-style-type: none"> Concentrated Force on Roofing Tiles to Australian Standard 1582, Rule 5.2 by Cyclone Testing Station, Australia. 	CORROSION <ul style="list-style-type: none"> Salt/fog Test to ASTM B117. 100% Relative Humidity Test to ASTM D2247.
HURRICANE <ul style="list-style-type: none"> Hurricane Test by Construction Research Laboratory Inc., Miami, Florida, USA. 	LIGHTWEIGHT <ul style="list-style-type: none"> 7.0kg/m². 	SECURITY <ul style="list-style-type: none"> High speed dynamic Rain Penetration and High Wind Loading Tests by Construction Research Laboratory Inc., Miami, Florida, USA.
HAIL <ul style="list-style-type: none"> Hailstone Test by Commonwealth Scientific and Industrial Research Organisation, Division of Building, Construction and Engineering, Australia. 	RAIN (MONSOON) <ul style="list-style-type: none"> Cyclone Loading Test to wind loading code, Australian Standard 1170, Part 2 1975 by Cyclone Loading Station, Australia. 	CERTIFICATION <div> </div>

Why risk anything else?

NEXT STEPS



Buying a roof is a big step. There's a lot to think about and it's a major investment, so it's important to make the right choices. Your Genuine Gerard® Distributor can explain everything you need to know & take you through all the steps to choosing the right roof for you. Book an appointment today.

CALL WICHTECH ROOFING: 0810 300 2000



ROOF CALCULATIONS

Simply hand your roof plans to your official Wichtech Distributor and they will calculate exactly how many Gerard® tiles you require, plus which accessories you'll need to complete the look.



INSTALLATION

Your Wichtech Distributor can recommend a trained installer to install your Gerard® roof to the highest standard.



DELIVERY

Whether your Distributor delivers your roof, or you choose to collect it, we will work to your times.



AFTER SALES CARE

Make sure that you register for your 50 year warranty - it's free.

To register, please visit: www.gerardafrica.com/warranty/



BEYOND COMPARE

— SINCE 1957 —

EXCLUSIVE



Call: 0810 300 2000

E M A I L

info@wichtech.com

W E B S I T E

www.wichtech.com

www.gerardafrica.com

S O C I A L M E D I A

Search for Gerard Africa or #GenuineGerard



MAKE SURE IT'S
#GenuineGerard